



Fully Automatic Single-pass Short Run Box Making Machine


- 1 Brief Introduction
- 2 Workflow
- **Major Functions**
- **4** Operation System
- **5 BM2508 Plus**
- **6** BM2508 SE
- **BM3000**
- **8 AOPACK Boxmaker Comparison**
- **9 After-sales Service**
- (11) Global Installation



Brief Introduction




- 1.One operator is enough
- 2.Competitive price
- 3.Multifunctional machine
- 4.Changeover time 1–40 seconds
- 5. Quick installation and commissioning
- 6.Operation training to users
- 7. Oversized carton processed in one go



Board feeding, Slotting, Scoring, Slitting, Cutting, Trimming, Inline gluing option, All In One Compact Machine.

Workflow





Lead edge feeder

As an industry authority on corrugated sheet feeding,

AUTOMATIC

Support 20-50 pcs of sheets auto feeding.

RELIABILITY

With rugged transmissions and feeding surface, our feeders require minimal maintenance.


ACCURACY

With precise and consistent acceleration, sheets move through the machine with extreme accuracy, even at high speeds.

• FEWER JAMS

Through vacuum suction, even reasonably warped sheets move through the machine with ease.








Slotting and scoring system

- 2*500mm slotting knives symmetrically integrated on a beam.
- The width of scoring line is 1700mm.
- Up to 2200mm with 250mm slotting knives.
- Special SKD11 steel from Japan.
- The edges of the carton are very neat and free of burrs.
- Super wear-resistant and does not need to be replaced for several years.
- Optional 600, 350, 250mm slotting knives.






The width of the bottom slotting knives(totally together)



Vertical Slitting system

- Unique active rotary circular blades technology (4 blades).
- The box/carton edges are very neat and smooth without burrs.
- Can perfectly replace the cardboard slitter.
- Tungsten steel blade, very sharp and wear-resistant.
- Minimum slitting distance is 75mm.







4


Vertical creasing system

- 4 automatic creasing wheels.
- Standard machine with 75mm creasing wheels
- Unique 3-line creasing wheels for better box forming and easier bending.
- Minimum 20mm creasing wheels for option.
- Can make very thin furniture cartons.



75mm Creasing wheels





20mm Creasing wheels







5

Cross cutting system

- Unique active rotary circular blades technology.
- The edges of the cartons are very neat and smooth without burrs.
- Can perfectly replace the cardboard separator.
- Tungsten steel blade, very sharp and wear-resistant.










Die cutting system

- Hand hole, vent hole, special-shaped rounded corners.
- Cheap module and easy replacement.












Inline gluing system

- Inline cold gluing auto application, no need extra gluing machine.
- Highest efficiency and versatility.









Operation System

How easy to produce boxes with Aopack Boxmaker?






Select a preprogrammed box type




Enter box and cardboard dimension



Quick and simple set up in 1 minute

Operation System


Available box styles:















BM2508 Plus





- 1400mm Lead edge feeder
- 15.6" touch screen
- 2500mm board size
- 60+ box styles




1000

BM2508 SE





- 900mm lead edge feeder
- 10" touch screen
- 2 vertical creasing wheels
- No die cutting module
- 30+ box styles




1000

BM3000





- Max. cardboard width 3000mm
- Production capacity increased by 20%



AOPACK Boxmaker Comparison

Boxmaker Series- Similarities and differences

	BM2508 Plus	BM2508 SE	BM3000
Corrugated board type	Sheets Or Fanfold (Single, Double wall)	Sheets (Single, Double wall)	Sheets (Single, Double wall)
Cardboard thickness	2-10mm	2-10mm	2-10mm
Cardboard density range	Up to 1200g/m²	Up to 1200g/m ²	Up to 1200g/m ²
Max.board size	2500mm width x unlimited length	2500mm width x unlimited length	3000mm width x unlimited length
Min.board size	200mm width x 650mm length	200mm width x 650mm length	300mm width x 650mm length
Production Capacity	Appr.7-10 pcs/minute	Appr.7-10 pcs/minute	Appr.8-12 pcs/minute
	Depends on size and box style.	Depends on size and box style.	Depends on size and box style.
Slotting Knife	2 pcs *500mm Length	2 pcs *500mm Length	2 pcs *500mm Length
Vertical Cutting knife	4	4	4
Scoring/Creasing wheel	4	2 (Option 4)	4
Horizontal Cutting knife	1	1	1
Power supply	$380V \pm 10\%$, Max. 7kW, 50/60 Hz	$380V \pm 10\%$, Max. 6.2kW, 50/60 Hz	$380V \pm 10\%$, Max. 7.7W, 50/60 Hz
Air Pressure	0.6-0.7MPa	0.6-0.7MPa	0.6-0.7MPa
Dimension	3540(W) * 2050 (L) * 2090mm(H)	3370(W) * 1800 (L) * 2000mm(H)	3650(W) * 1950 (L) * 2090mm(H)
Gross Weight	Appr.3500Kg	Appr.2800Kg	Appr.3500Kg
Automatic paper feeding	Lead edge feeder 1400mm	Lead edge feeder 900mm	Lead edge feeder 1400mm
Handhole on box sides	Hand hole module size (120*120mm)	NO	Hand hole module size (120*120mm)
Air Consumption	75L/Min	40L/Min	75L/Min
Box styles	More than 60 Fefco codes	More than 27 (36) Fefco codes	More than 60 Fefco codes
HMI screen size	15.6" touch screen	10" touch screen	15.6" touch screen

All the above specifications are for reference only.

The final interpretation right belongs to Qingdao Aopack On Demand Packaging co., Ltd.

After-sales Service



We have guided 50+ customers online to complete machine installation during Covid pandemic

Documents & Videos

We have prepared full sets of manuals, instructions, and guide videos.

• Installation& training

Our English-speaking engineer team can provide online assistance for installation. As well as training to your operator.

Quality guarantee

12 months of quality guarantee from the date of machine installation.

Software update

Software update will be provided free of charge for machine lifetime.

Global Installation



More than **100 machines** has been installed in **30+ countries around the world.** Appack provides packaging solutions throughout the world.

Customer Cases





















www.aopackmachine.com